UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/766,211	01/29/2004	Kang Soo Seo	46500-000578/US 3350		
	7590 03/22/201 CKEY & PIERCE, P.L	EXAMINER			
P.O. BOX 8910	)	JONES, HEATHER RAE			
RESTON, VA 20195			ART UNIT	PAPER NUMBER	
			2481		
			MAIL DATE	DELIVERY MODE	
			03/22/2011	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No		Applicant(s)				
		10/766,211		SEO ET AL.				
	Office Action Summary	Examiner		Art Unit				
		HEATHER R. J	ONES	2481				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)  ズ	Responsive to communication(s) filed on 17 No.	ovember 2010 a	and 14 December	2010				
·		Responsive to communication(s) filed on <u>17 November 2010 and 14 December 2010</u> .  This action is <b>FINAL</b> .  2b) This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
٥,١	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
	·	in parto adayro,	1000 0.5. 11, 10	0 0.4.210.				
Disposit	ion of Claims							
4)	4) Claim(s) 13,18,24-27 and 56 is/are pending in the application.							
5\□	4a) Of the above claim(s) is/are withdrawn from consideration.							
· —	5)  Claim(s) is/are allowed. 6)							
7)	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restriction and/or	r election require	amont					
٥)ا	are subject to restriction and/or	r election require	emem.					
Application Papers								
9)	The specification is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>29 January 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.								
	Applicant may not request that any objection to the	drawing(s) be held	d in abeyance. See	37 CFR 1.85(a).				
	Replacement drawing sheet(s) including the correct	ion is required if th	ne drawing(s) is obj	ected to. See 37 CF	FR 1.121(d).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.								
2) Notic 3) Infor	tit(s)  See of References Cited (PTO-892)  See of Draftsperson's Patent Drawing Review (PTO-948)  mation Disclosure Statement(s) (PTO/SB/08)  er No(s)/Mail Date 11/30/2010	4)	] Interview Summary ( Paper No(s)/Mail Da ] Notice of Informal Pa ] Other:	te				

Art Unit: 2481

#### **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments with respect to claims 13, 18, 24-27, and 56 have been considered but are most in view of the new ground(s) of rejection.

# Claim Rejections - 35 USC § 101

2. The medium claims 13 and 18 are considered to be statutory because they are directed only to non-transitory computer readable mediums. The method claims 24 and 25 are considered to be statutory because managing reproduction of video data containing stream files and playlist files having separate file extensions can not be performed without the aid of a machine to process the video data. Apparatus claims 26, 27, and 56 are considered to be statutory because the specification does not disclose that the apparatus can be implemented solely using software.

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 13, 18, and 24-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato et al. (U.S. Patent Application Publication 2002/0145702) in view of Ando et al. (U.S. Patent 7,054,545) in view of Seo et al. (U.S. Patent Application

Application/Control Number: 10/766,211

Art Unit: 2481

Publication 2001/0056580) in view of Jung et al. (U.S. Patent Application Publication 2004/0081434).

Page 3

Regarding claim **13**, Kato et al. discloses a non-transitory computer readable medium having a data structure for managing reproduction duration of at least one still picture, comprising: a playlist area storing at least one playlist file (Fig. 14), the at least one playlist file including at least one playitem and at least one sub-playitem (Fig. 7), the at least one playitem indicating an in-point and outpoint of the first stream file to reproduce the presentation data, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time, wherein the at least one still picture and associated graphic data in the at least one still picture

Application/Control Number: 10/766,211

Art Unit: 2481

n and the

Page 4

unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses a nontransitory computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing first stream file including presentation data and a second stream file including audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in the at least one still picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration

information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 – audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the medium disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Seo et al. reference, Seo et al. discloses the still picture unit including the at least one still picture and associated graphic data, and the

still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the medium disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be synchronized with the clip information in the playitem as disclosed by Jung et al. in the computer readable medium disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

Application/Control Number: 10/766,211

Art Unit: 2481

Regarding claim **18**, Kato in view of Ando et al. in view of Seo et al. in view of Jung et al. discloses all the limitations as previously discussed with respect to claim 13 including that the at least one still picture unit includes only one still picture (Ando et al.: Figs. 7, 8, and 10).

Page 7

Regarding claim 24. Kato et al. discloses a method of recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: recording at least one playlist file on the recording medium (Fig. 14), the at least one playlist file including at least one playitem and at least one sub-playitem (Fig. 7), the at least one playitem indicating in-point and out-point of the first stream file to reproduce the presentation data, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates

to display the at least one still picture for a finite period of time, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses a method of recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a data area storing first stream file including presentation data and a second stream file including audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in the at least one still

picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 – audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the method disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Art Unit: 2481

Referring to the Seo et al. reference, Seo et al. discloses a method of recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising a still picture unit including the at least one still picture and associated graphic data, and the still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the method disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be

Art Unit: 2481

synchronized with the clip information in the playitem as disclosed by Jung et al. in the method disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

Regarding claim 25. Kato et al. discloses a method of reproducing a data structure for managing reproduction duration of at least one still picture recorded on a recording medium, comprising: reproducing at least one playlist file from the recording medium, the at least one playlist file including at least one playitem and at least one sub-playitem in the playlist file (Fig. 7), the at least one playitem indicating in-point and out-point of a first stream file to reproduce the presentation data, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when

Art Unit: 2481

the first duration information indicates to display the at least one still picture for a finite period of time, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses a method of reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a data area storing first stream file including presentation data and a second stream file including audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in

the at least one still picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 – audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the method disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Art Unit: 2481

Referring to the Seo et al. reference, Seo et al. discloses a method of reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising a still picture unit including the at least one still picture and associated graphic data, and the still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the method disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be

Art Unit: 2481

synchronized with the clip information in the playitem as disclosed by Jung et al. in the method disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

Regarding claim 26. Kato et al. discloses an apparatus for recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a pickup configured to record data on the recording medium; a controller configured to control the pickup to record at least one playitem and at least one sub-playitem in the playlist file (Fig. 7), the at least one playitem indicating in-point and out-point of a first stream file to reproduce at least one still picture, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when

Art Unit: 2481

the first duration information indicates to display the at least one still picture for a finite period of time, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses an apparatus for recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a data area storing first stream file including presentation data and a second stream file including audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in

the at least one still picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 – audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the medium disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Art Unit: 2481

Referring to the Seo et al. reference, Seo et al. discloses an apparatus for recording a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising a still picture unit including the at least one still picture and associated graphic data, and the still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the medium disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be

Art Unit: 2481

synchronized with the clip information in the playitem as disclosed by Jung et al. in the apparatus disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

Regarding claim 27. Kato et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture recorded on a recording medium, comprising: a pickup configured to record data on the recording medium (Fig. 1); a controller configured to control the pickup to reproduce at least one playlist and at least one clip information file area of the recording medium, the clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 2, 14; paragraph [0195]); reproducing at least one playitem and at least one sub-playitem in the playlist file (Fig. 7), the at least one playitem indicating in-point and out-point of a first stream file to reproduce at least one still picture, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit,

Art Unit: 2481

the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time, wherein the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a data area storing first stream file including presentation data and a second stream file including audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-

Art Unit: 2481

63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in the at least one still picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 - audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the medium disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still

Art Unit: 2481

picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Seo et al. reference, Seo et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising a still picture unit including the at least one still picture and associated graphic data, and the still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the medium disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Art Unit: 2481

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be synchronized with the clip information in the playitem as disclosed by Jung et al. in the apparatus disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

Regarding claim **56**, Kato et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture recorded on a recording medium, comprising: a pickup configured to record data on the recording medium (Fig. 1); a controller configured to control the pickup to reproduce at least one playlist and at least one clip information file area of the recording medium, the clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 2, 14; paragraph [0195]); reproducing at least one playitem and at least one sub-playitem in the playlist file (Fig. 7), the at least one playitem indicating in-point and out-point of a first stream

Art Unit: 2481

file to reproduce at least one still picture, and the at least one sub-playitem indicating an in-point and out-point of a second stream file to reproduce the audio data (Figs. 3, 7, 32, and 40), and wherein the stream files, the playlist file, and the clip information files are separate from each other and have different file extensions (Fig. 14). However, Kato et al. fails to disclose a data area storing first stream file including presentation data and second stream file including audio data, the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least still picture and associated graphic data; the playitem including first duration information indicating whether to display the at least still picture in the at least one still picture unit for one of a finite and an infinite period of time; and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Ando et al. reference, Ando et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising: a data area storing first stream file including presentation data and a second stream file including audio

Art Unit: 2481

data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into at least one still picture unit, the at least one still picture unit including at least one still picture (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the at least one still picture in the at least one still picture unit for one of a finite and an infinite period of time, and wherein the at least one playitem further includes second duration information indicating a length of time to display the at least one still picture when the first duration information indicates to display the at least one still picture for a finite period of time (col. 39, lines 38-63 – audio and still information), wherein the audio data is reproduced independently from the last one still picture unit (col. 29, lines 14-24 - the system has a browsable and random feature of the slide show thereby meaning the audio and still picture units would be played back independent of one another).

Art Unit: 2481

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the medium disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. However, Kato et al. in view of Ando et al. still fail to disclose wherein the audio data is reproduced asynchronously and independently from the at least one still picture unit. However, Kato in view of Ando et al. fail still fail to disclose the still picture unit including at least one still picture and associated graphic data, wherein the at least one still picture and associated graphic data in the at least one still picture unit are reproduced synchronously based on the at least one playitem, and the audio data is reproduced independently from the at least one still picture unit based on the at least one sub-playitem.

Referring to the Seo et al. reference, Seo et al. discloses an apparatus for reproducing a data structure for managing reproduction duration of at least one still picture on a recording medium, comprising a still picture unit including the at least one still picture and associated graphic data, and the still picture and associated graphic data in the still picture unit configured to be reproduced synchronously (paragraph [0006]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the at least one still picture and graphic data reproduced synchronously as disclosed by Seo et al. in the medium

Art Unit: 2481

disclosed by Kato in view of Ando et al. in order to include graphic data with the still picture to provide the viewer interactive contents so that the viewer could communicate with the contents in a desirable fashion. However, Kato et al. in view of Ando et al. in view of Seo et al. still fail to disclose that the at least one still picture and the associated graphic data in a still picture unit being reproduced synchronously based on the at least one playitem.

Referring to the Jung et al. reference, Jung et al. discloses a computer-readable medium comprising that the at least one still picture and the associated graphic data (subtitle) in a still picture unit being reproduced synchronously based on the at least one playitem (Fig. 18; paragraph [0152] - the subtitles are linked to the playitem to be reproduced together).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the graphic data that is to be synchronized with the clip information in the playitem as disclosed by Jung et al. in the apparatus disclosed by Kato et al. in view of Ando et al. in view of Seo et al. in order to ensure the graphic data is synchronized with the correct corresponding clip information.

#### Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HEATHER R. JONES whose telephone number is (571)272-7368. The examiner can normally be reached on Mon. - Thurs.: 7:00 am - 4:30 pm, and every other Fri.: 7:00 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter-Anthony Pappas can be reached on 571-272-7646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2481

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Heather R Jones Examiner Art Unit 2481

HRJ March 12, 2011

/Peter-Anthony Pappas/ Supervisory Patent Examiner, Art Unit 2481